




## K LOCK



PUSH CATCHES  
AND MAGNETIC  
CATCHES




## K LOCK




K LOCK is a magnetic system to safely keep the door closed. Suitable for unsprung or Flap/Piano hinges, K LOCK can be either embedded into the panel through a  $\varnothing 10$  mm hole, or installed visible, fixed with adapter housing. K LOCK is available in three colors: white, anthracite and light grey. A 3,5 mm adjustment can be carried out by using a 1,2x6,5 mm blade screwdriver.


### INSTALLATION THROUGH ADAPTER HOUSING




### ADJUSTMENT




### INSTALLATION TO BE EMBEDDED INSIDE THE PANEL



### ADJUSTMENT





ST

EP




= 100 pcs.



55007010EE

55007010IJ

55007010AB



EP






= 100 pcs.



57015020EE

57015020IJ

57015020AB



= Ø 3 mm

EP




= 100 pcs.



57015040EE

57015040IJ

57015040AB



= Ø 5 mm

EP



= 100 pcs.




57015060EE

57015060IJ

57015060AB

## FIXING ACCESSORY FOR K LOCK ADAPTER PLATES PART NO. 57015040



= Ø 3 mm

+



= PZ2

ST




= 1.000 pcs.



60101390ZN

## FIXING ACCESSORY FOR K LOCK ADAPTER PLATES PART NO. 57015060



= Ø 5 mm

+



= PZ2

ST




= 5.000 pcs.



60501050YA



## ADHESIVE DOOR PLATES




ST

= 100 pcs.



55006160XD




ST

= 100 pcs.



55006200YA




ST

= 100 pcs.



55006210YA



ST


= 100 pcs.



55006240YA



## DOOR PLATES




ST

= 100 pcs.



55006030YA



ST




= PZ2

= 100 pcs.



55006100YA





ST

= 100 pcs.



55006040YA





ST

= 100 pcs.



55006130YA



ST



= 100 pcs.







55006120YA



## FIXING ACCESSORIES




## PLATE FOR K PUSHTECH WITH ADAPTER HOUSING FOR CURVED DOORS





# SYMBOLS AND FINISHES LEGEND

## SYMBOLS



= SHELF SAFELY LOCKED DURING TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING SYSTEM



= NORMS / PATENTS



= PART NO.



= PCS. PER PACKAGE



= CAPACITY LOADING



= WOOD / GLASS THICKNESS



= HOLE DIAMETER



= DIAMETER



= LENGTH



= HEIGHT



= RIGHT VERSION



= LEFT VERSION



= SETTING CODE



= PCS. PER PAD



= CUT ON REQUEST



= SELF ADHESIVE



= PHILLIPS / POZIDRIV



= BLADE SLOT



= COMBI SLOT



= HEXAGONAL SOCKET



= HEXALOBULAR SOCKET



= COUNTERSUNK HEAD



= PAN HEAD



= FLANGE HEAD



= FLAT HEAD



= TRILOBULAR SCREW



= SELF-TAPPING SCREW



= EURO THREAD



= METRIC THREAD



= PRE-INSERTED SCREW



= PRE-INSERTED SCREW AND SPREADING BUSH



= WITH BUFFER



= WITH MAGNET



= NEWTON



= FRICTION



= AUTOMATIC



= DROP DOWN



= STANDARD HINGE



= KIMANA HINGE



= FLAP HINGE



= WITH SPRING



= WITHOUT SPRING



= REVERSED SPRING



= WITH FLANGE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accuracy. We reserve the right to alter specifications without notice.



## MATERIALS

|                                        |                                 |                               |                   |                                              |                                         |
|----------------------------------------|---------------------------------|-------------------------------|-------------------|----------------------------------------------|-----------------------------------------|
| <b>ZA</b> = Zinc Alloy                 | <b>ST</b> = Steel               | <b>HSS</b> = High Speed Steel | <b>BR</b> = Brass | <b>ABS</b> = Acrylonitrile Butadiene Styrene | <b>TPU</b> = Thermoplastic Polyurethane |
| <b>ZAnk</b> = Nickel-plated Zinc Alloy | <b>STzk</b> = Zinc-plated Steel | <b>AL</b> = Aluminium         | <b>WD</b> = Wood  | <b>EVA</b> = Ethylene Vinyl Acetate          |                                         |

|                                 |                                                              |                         |                                                      |
|---------------------------------|--------------------------------------------------------------|-------------------------|------------------------------------------------------|
| <b>EP</b> = ENGINEERING PLASTIC | + <b>EP</b> = other engineering plastic available on request | <b>SR</b> = SOFT RUBBER | + <b>SR</b> = other soft rubber available on request |
|---------------------------------|--------------------------------------------------------------|-------------------------|------------------------------------------------------|

|                                          |                                             |                                  |
|------------------------------------------|---------------------------------------------|----------------------------------|
| <b>EPn</b> = Natural Engineering Plastic | <b>EPc</b> = Clear Engineering Plastic      | <b>SRn</b> = Natural Soft Rubber |
| <b>EPw</b> = White Engineering Plastic   | <b>EPg</b> = Grey Engineering Plastic       | <b>SRw</b> = White Soft Rubber   |
| <b>EPb</b> = Black Engineering Plastic   | <b>EPa</b> = Anthracite Engineering Plastic | <b>SRb</b> = Black Soft Rubber   |




## FINISHES



+ OTHER FINISHES AVAILABLE ON REQUEST

| PART NO. | FINISHES             | PART NO. | FINISHES             | PART NO. | FINISHES                     |
|----------|----------------------|----------|----------------------|----------|------------------------------|
| 00       | Insignificant finish | IF       | Grey 7               | XE       | Inox                         |
| AA       | Natural              | IJ       | Light Grey           | YA       | Nickel-plated                |
| AB       | White                | IL       | Grey 20              | YC       | Matt Nickel-plated           |
| AE       | White 9010           | IN       | Grey met. 26         | YD       | Satin-finished Nickel-plated |
| EA       | Black                | JG       | Aluminium 5          | YQ       | Black Nickel                 |
| EC       | Matt Black           | JL       | Aluminium PE 11      | Z9       | Black Zinc                   |
| EE       | Anthracite           | JM       | Aluminium RAL 9006   | ZN       | Zinc-plated                  |
| EW       | Grey 9007            | KB       | Bright Chrome        | ZQ       | Bright Gold                  |
| FU       | Gunmetal             | KC       | Matt Chrome          | ZZ       | Clear/Transparent            |
| FV       | Gunmetal V52         | LD       | Brown 8019           |          |                              |
| GR       | Zamak Raw            | RO       | Red                  |          |                              |
| HA       | Brass-Plated         | UT       | T-Met 9007           |          |                              |
| HH       | Tropicalized         | UZ       | T-Met                |          |                              |
| HL       | Raw Brass            | WA       | Bronzed              |          |                              |
| HX       | Graphite             | WI       | Burnished            |          |                              |
| IA       | Grey                 | XD       | Satin-finished Steel |          |                              |



[www.italianaferramenta.com](http://www.italianaferramenta.com)

ITALIANA FERRAMENTA SRL - Viale Europa 17 I - 33070 Brugnara (PN)  
Tel. +39 0434 428211 Fax +39 0434 428242 E-mail: [info@italianaferramenta.it](mailto:info@italianaferramenta.it)